

<http://mxbarms.com.tr/>



MXE ARMS

FX-9



SAND



GREY



GREEN

TECHNICAL SPECIFICATIONS

WORKING PRINCIPLE	SINGLE ACTION SEMI AUTO	FIRING PIN SAFETY	YES YES YES YES YES BLACK
CALIBER	9X19 NATO/PARABELLUM	TRIGGER SAFETY	GREY / SAND / GREEN /
MAGAZINE CAPACITY	10+1 / 15+1 / 17+1	STRIKER STATUS INDICATOR	BLACK YES
BARREL LENGTH	4,08" (103,6 MM)	MANUAL SAFETY	
TOTAL LENGTH	7,52" (191 MM)	LOADED CHAMBER INDICATOR	
HEIGHT	5,6" (142 MM)	SLIDE COLOUR	
WIDTH	1,378" (35 MM)	FRAME COLOUR	
WEIGHT	(WITHOUT MAGAZINE) 26,631 OZ (755 GR ±10)	ADJUSTABLE SIGHTS	
	(WITH MAGAZINE) 29,63 OZ 840 GR		

FX-9 R



RED DOT READY



SAND



GREY



GREEN

TECHNICAL SPECIFICATIONS

WORKING PRINCIPLE	SINGLE ACTION SEMI AUTO	FIRING PIN SAFETY	YES YES YES YES YES BLACK
CALIBER	9X19 NATO/PARABELLUM	TRIGGER SAFETY	GREY / SAND / GREEN /
MAGAZINE CAPACITY	10+1 / 15+1 / 17+1	STRIKER STATUS INDICATOR	BLACK YES YES
BARREL LENGTH	4,08" (103,6 MM)	MANUAL SAFETY	
TOTAL LENGTH	7,52" (191 MM)	LOADED CHAMBER INDICATOR	
HEIGHT	5,6" (142 MM)	SLIDE COLOUR	
WIDTH	1,378" (35 MM)	FRAME COLOUR	
WEIGHT	(WITHOUT MAGAZINE) 26,8 OZ (760GR±10)	ADJUSTABLE SIGHTS	
	(WITH MAGAZINE) 29,8 OZ 845 GR	RED DOT READY	

FX-9 RS



PERFORATED CUT SLIDE / RED DOT READY



SAND



GREY



GREEN

TECHNICAL SPECIFICATIONS

WORKING PRINCIPLE	SINGLE ACTION SEMI AUTO	FIRING PIN SAFETY	YES YES YES YES YES BLACK
CALIBER	9X19 NATO/PARABELLUM	TRIGGER SAFETY	GREY / SAND / GREEN /
MAGAZINE CAPACITY	10+1 / 15+1 / 17+1	STRIKER STATUS INDICATOR	BLACK YES YES YES
BARREL LENGTH	4,8" (122 MM)	MANUAL SAFETY	
TOTAL LENGTH	8,26" (210 MM)	LOADED CHAMBER INDICATOR	
HEIGHT	5,787" (147 MM)	SLIDE COLOUR	
WIDTH	1,378" (35 MM)	FRAME COLOUR	
WEIGHT	(WITHOUT MAGAZINE) 27,16 OZ (770 GR ± 10 GR)	ADJUSTABLE SIGHTS	
	(WITH MAGAZINE) 30,16 OZ 855 GR	RED DOT READY	
		THREADED BARREL	



PERFORATED CUT SLIDE / RED DOT READY



SAND




GREY



GREEN

TECHNICAL SPECIFICATIONS		
WORKING PRINCIPLE	SINGLE ACTION SEMI AUTO	FIRING PIN SAFETY
CALIBER	9X19 NATO/PARABELLUM	TRIGGER SAFETY
MAGAZINE CAPACITY	10+1 / 15+1 / 17+1	STRIKER STATUS INDICATOR
BARREL LENGTH	4,08" (103,6 MM)	MANUAL SAFETY
TOTAL LENGTH	7,52" (191 MM)	LOADED CHAMBER INDICATOR
HEIGHT	5,6" (142 MM)	SLIDE COLOUR
WIDTH	1,378" (35 MM)	FRAME COLOUR
WEIGHT	(WITHOUT MAGAZINE) 26,45 OZ (750 GR ±10)	ADJUSTABLE SIGHTS
	(WITH MAGAZINE) 29,45 OZ 835 GR	RED DOT READY



AG-9



SAND



GREY



GREEN

TECHNICAL SPECIFICATIONS

WORKING PRINCIPLE SINGLE ACTION SEMI AUTO

CALIBER 9X19 NATO/PARABELLUM

MAGAZINE CAPACITY 10+1 / 15+1 / 17+1

BARREL LENGTH 4,08" (103,6 MM)

TOTAL LENGTH 7,283" (185 MM)

HEIGHT 5,6" (142 MM)

WIDTH 1,378" (35 MM)

WEIGHT (WITHOUT MAGAZINE) 25,75 OZ (730 GR ±10)
(WITH MAGAZINE) 28,748 OZ 815 GR

FIRING PIN SAFETY

TRIGGER SAFETY

STRIKER STATUS INDICATOR

LOADED CHAMBER INDICATOR

SLIDE COLOUR


FRAME COLOUR

ADJUSTABLE SIGHTS

YES YES YES YES BLACK GREY

/ SAND / GREEN / BLACK YES

AG-9 R



RED DOT READY



SAND



GREY



GREEN

TECHNICAL SPECIFICATIONS

WORKING PRINCIPLE	SINGLE ACTION SEMI AUTO	FIRING PIN SAFETY	YES YES YES YES BLACK GREY
CALIBER	9X19 NATO/PARABELLUM	TRIGGER SAFETY	/ SAND / GREEN / BLACK YES
MAGAZINE CAPACITY	10+1 / 15+1 / 17+1	STRIKER STATUS INDICATOR	YES
BARREL LENGTH	4,08" (103,6 MM)	LOADED CHAMBER INDICATOR	
TOTAL LENGTH	7,283" (185 MM)	SLIDE COLOUR	
HEIGHT	5,6" (142 MM)	FRAME COLOUR	
WIDTH	1,378" (35 MM)	ADJUSTABLE SIGHTS	
WEIGHT	(WITHOUT MAGAZINE) 25,75 OZ (730 GR ± 10 GR) (WITH MAGAZINE) 28,748 OZ 815 GR	RED DOT READY	



AG-9 RS



PERFORATED CUT SLIDE / RED DOT READY



SAND



GREY



GREEN

TECHNICAL SPECIFICATIONS

WORKING PRINCIPLE	SINGLE ACTION SEMI AUTO	FIRING PIN SAFETY	YES YES YES YES BLACK GREY
CALIBER	9X19 NATO/PARABELLUM	TRIGGER SAFETY	/ SAND / GREEN / BLACK YES
MAGAZINE CAPACITY	10+1 / 15+1 / 17+1	STRIKER STATUS INDICATOR	YES YES
BARREL LENGTH	4,8" (122 MM) 8,031" (204 MM) 5,787"	LOADED CHAMBER INDICATOR	
TOTAL LENGTH	(147 MM) 1,378" (35 MM) (WITHOUT	SLIDE COLOUR	
HEIGHT	MAGAZINE) 25,926 OZ (735 GR ±10)	FRAME COLOUR	
WIDTH	(WITH MAGAZINE) 28,924 OZ 820 GR	ADJUSTABLE SIGHTS	
WEIGHT		RED DOT READY	
		THREADED BARREL	

AG-9 RP



PERFORATED CUT SLIDE / RED DOT READY



SAND



GREY



GREEN

TECHNICAL SPECIFICATIONS

WORKING PRINCIPLE	SINGLE ACTION SEMI AUTO	FIRING PIN SAFETY	YES YES YES YES BLACK GREY
CALIBER	9X19 NATO/PARABELLUM	TRIGGER SAFETY	/ SAND / GREEN / BLACK YES
MAGAZINE CAPACITY	10+1 / 15+1 / 17+1	STRIKER STATUS INDICATOR	YES
BARREL LENGTH	4,08" (103,6 MM)	LOADED CHAMBER INDICATOR	
TOTAL LENGTH	7,283" (185 MM)	SLIDE COLOUR	
HEIGHT	5,6" (142 MM)	FRAME COLOUR	
WIDTH	1,378" (35 MM)	ADJUSTABLE SIGHTS	
WEIGHT	(WITHOUT MAGAZINE) 25,22 OZ (715 GR) ± 10 GR (WITH MAGAZINE) 28,219 OZ 800 GR	RED DOT READY	

FX-9 RS

TECHNICAL SPECIFICATIONS

WORKING PRINCIPLE	SINGLE ACTION SEMI AUTO	FIRING PIN SAFETY	YES YES YES YES YES BLACK
CALIBER	9X19 NATO/PARABELLUM	TRIGGER SAFETY	GREY / SAND / GREEN /
MAGAZINE CAPACITY	10+1 / 15+1 / 17+1	STRIKER STATUS INDICATOR	BLACK YES
BARREL LENGTH	4,8" (122 MM)	MANUAL SAFETY	
TOTAL LENGTH	8,26" (210 MM)	LOADED CHAMBER INDICATOR	
HEIGHT	5,787" (147 MM)	SLIDE COLOUR	
WIDTH	1,378" (35 MM)	FRAME COLOUR	
WEIGHT	(WITHOUT MAGAZINE) 27,16 OZ (770 GR ±10) (WITH MAGAZINE) 30,16 OZ 855 GR	ADJUSTABLE SIGHTS	



FXS-9

AHSS



SAND



GREY



GREEN

TECHNICAL SPECIFICATIONS

WORKING PRINCIPLE	SINGLE ACTION SEMI AUTO	FIRING PIN SAFETY	YES YES YES YES YES BLACK
CALIBER	9X19 NATO/PARABELLUM	TRIGGER SAFETY	GREY / SAND / GREEN /
MAGAZINE CAPACITY	10+1 / 15+1 / 17+1	STRIKER STATUS INDICATOR	BLACK YES
BARREL LENGTH	4,08" (103,6 MM)	MANUAL SAFETY	
TOTAL LENGTH	7,52" (191 MM)	LOADED CHAMBER INDICATOR	
HEIGHT	5,6" (142 MM)	SLIDE COLOUR	
WIDTH	1,378" (35 MM)	FRAME COLOUR	
WEIGHT	(WITHOUT MAGAZINE) 26,631 OZ (755 GR ± 10)	ADJUSTABLE SIGHTS	
	(WITH MAGAZINE) 29,63 OZ 840 GR		

PARTS





*İstanbul Zaim Üniversitesi
Teknopark. Halkalı Merkez Mah.
Halkalı Cad. No:281/23 TP3 Binası
kat:1/18, 34303 Küçükçekmece/
İstanbul/Türkiye*



<https://www.youtube.com/@MXBINTERACTIVE>

Küçükçekmece V.D. :6231295667



<https://www.instagram.com/mxbinteractive/>

info@mxbinteractive.com

muhasabe@mxbinteractive.com

destek@mxbinteractive.com



<http://mxbarms.com.tr/>

+90 850 303 34 13

+90 553 977 28 74

